# Product Catalogue

2024







### Contents

#### About us

Our team

- 1 Ultrasound Standoff
- 2 Generator stands
- 3 Positioning
- 4 Flat Panel Solutions Flatpanel Protection Antiscatter Grid
- 5 Markers
- 6 Protection & safety Aprons Protection accessoires Shields Apron & gloves racks
- 7 Examination Room Stool - SCANdroid Tables Carts

podoblock.com/shop  $\rightarrow$ 



Podoblock Catalogue 2024 | 3

### About us

#### Who we are

Podoblock is the global leader in accessories and tools for the imaging market. We re-imagine and reinvent the way imaging professionals in the veterinarian world make X-rays and ultrasounds by using our durable, safe and ergonomic products.

We believe that safety for imaging professionals is crucial when exposed to hazardous environments, and efficiency is necessary for a fast-paced profession. The solutions we innovate help practitioners stay safe and efficient with enhanced mobility. We design, build and test each piece of equipment to ensure our quality and your safety. **Re-imagine the way you work.** 

#### **Our history**

Podoblock has always set the bar for high quality solutions by constantly innovating to improve our customers' efficiency and safety. With nearly three decades of extensive professional experience in the imagine market, coupled with over 15 years of veterinary medical expertise, we deeply prioritize our esteemed clientele and strive to provide unparalleled value. Our unwavering commitment lies in harnessing our proficiency to develop cutting-edge solutions utilizing our exceptional range of products.

#### Innovative solutions today

As technology continues to evolve, we make it our priority to invest our time into developing products that go above and beyond the industry standard and utilize innovative hardware.

#### Made in Holland

All products are made in the Netherlands, and we choose only the highest quality material.

#### Deliverability

We offer a worldwide delivery service through our warehouses in the Netherlands and Florida, USA.

#### Service and repairs

Our products are made of the highest quality materials, and we provide both in-house and online customer service to ensure product satisfaction.



### **Prices** | and info

### Our team



René van Wijk INSIDE SALES & BACKOFFICE sales@podoblock.com +31 50 82 00 056





Leonie Veenstra MARKETING MANAGER marketing@podoblock.com +31 50 82 00 054



Quincy Jacobs SALES MANAGER quincy.jacobs@podoblockusa.com +1 561 398 3664











**Tiemen Hovius** FINANCIAL MANAGER finance@podoblock.com

**Claudia Lucker** PODOBLOCK USA MANAGER claudia.lucker@podoblockusa.com +1 561 815 2265





## 1 Ultrasound

At Podoblock, we recognize the challenges that veterinarians face daily. From the onset of our business in 2008, we have been aware of the difficulties that come with X-raying and ultrasound. These standoffs were initially developed for use in equine ultrasound. However, practice has learned that use for ultrasound examinations on small animals does an excellent job too. In addition, the linear probe can be used primarily for abdominal diagnoses, especially in cats for the small intestine and kidneys to enhance images.







#### U-scan

Our own standoff, adaptable for a wide range of

- linear-array transducers.
- Thickness sides: 7 mm
- Thickness bottom: 12 mm
- Comes in a protective box

Note:

We supply all available kinds of standoff on request.



#### Flabbus Ultrasound Standoff

The Flabbus Ultrasound Standoff is an exceptionally elastic item, conforming to patient contours while maintaining uniform thickness and universal application to each type of Probe head.

Flabbus Ultrasound Standoff is made of a proprietary synthetic gel, resulting in a moulded material that does not suffer inelastic strain from everyday stresses.

Consequently, the Flabbus Ultrasound Standoff does not have to be bagged or wrapped in plastic film to maintain its shape and can be easily stored.

For optimal use, the user can cut it to his/her preferred size-of-use with the supplied scissors. For example, the  $300 \times 300$  mm Flabbus can be cut into six smaller parts of  $100 \times 150$  mm.

Any other size is a possibility, depending on personal choice.

Size: 300 x 300 mm

Thickness: 3 mm or 5 mm





# 2 Generator stands

With our product line of generator gears, you will have no trouble finding a solution that will fit your daily needs and demands. Our Stat-X or Sourcerer will be a real asset to your small animal practice, thanks to the all-purpose character of our tools. We can offer standard solutions for every mobile generator. Concerning your safety, ease-of-use, quality and convenience, you, your staff and your animals will be in good hands with Podoblock equipment!







8 | Podoblock catalogue 2024

#### Stat-X Vaquero

#### Weight portable X-ray source: 6,0 - 16,0 kg

- Swing arm length: 750 mm
- Vertical travel arm: 700 mm
- Vertical travel stand: 700 mm
- Max height bracket: 206 cm
- Transport size: L 140 x W 30 x H 32 cm

Optional with short legs (50 cm instead of 90 cm) and extra counterweight (6.5 kg).

#### Weight portable X-ray source: 16,1 – 25,0 kg

- Swing arm length: 580 mm
- Vertical travel arm: 500 mm
- Vertical travel stand: 700 mm
- Max height bracket: 201 cm
- Transport size: L 132 x W 30 x H 32 cm
- Weight: 22 kg
- Color: PMS260C Satin









#### Stat-X Espléndido

#### Weight portable X-ray source: 6,0 - 14,0 kg

- Swing arm length: 750 mm
- Vertical travel arm: 700 mm
- Vertical travel stand: 410 mm
- Max height bracket: 195 cm
- Transport size: L 122 x W 30 x H 32 cm
- Weight: 22 kg

#### Weight portable X-ray source: 14,1 - 23,0 kg

- Swing arm length: 580 mm
- Vertical travel arm: 500 mm
- Vertical travel stand: 700 mm
- Max height bracket: 220 cm
- Transport size: L 138 x W 30 x H 32 cm
- Weight: 25 kg
- Color: PMS260C Satin















#### Swingarm Options

Loose Swingarm to upgrade or expand your Stat-X stand to the next level.

- The Vaquero Swingarm has a capacity from 6,0 up to 25,0 kg
- The Espléndido Swingarm has a capacity from 6,0 up to 23,0 kg

For added usability and compatibility, there is a slide & lock adapter at the top of the Bucky Swingarm for connecting to the integrated 3D adjustable joint to our (optional) DR-Quadro, DR-Buckybox or DR-Cowboybox. See page 25 & 27.



#### Sourcerer

The Sourcerer is built from separate components and allows you to build any configuration possible. It can be fixed to either wall or ceiling at any height and the tubes can be mutually connected to create a number of possibilities for turning and/or adjustment. The Sourcerer can be ordered in any desired length.

The rollers for horizontal adjustment are provided with a standard RVS fixture for your source and a spring balancer for stageless vertical adjustment. The Sourcerer can be tuned to perfect horizontal adjustment in order to provide smooth use of the entire system.


- Material: Aluminium
- Maximum length: 200 cm
- Load capacity: 80 kg
- Fixtures: Stainless steel
- Maintenance-free






# 3 | Positioning

15 years ago, our company started with the inventing of the Podoblock. A tool to position the foot to make work easier, faster and safer. Now we have developed a product line designed to position small animals during examinations. Ideal for use in general veterinary radiography, orthopaedic examination, contrast examination, dental radiography, soft tissue examination and more.







Standard

Extended



#### Closed Cell Immobilizer Trough Bundle

These veterinary immobilizer V-shape troughs are made from high-density cross-link or "closed-cell" foam. They are lightweight, durable, highly radiolucent, and easy to clean. The cover-free design ensures optimal hygiene and artifact-free imaging.

- High-density cross-link foam
- Lightweight, durable, and cleanable
- Liquid repellent surface, even if damaged
- Highly radiolucent and Artifact Free!
- Available in sizes small to x-large

#### Sizes

- S L25 x W10 x H8 cm
- M L28 x W18 x H12 cm
- L L61 x W28 x H18 cm
- XL L91 x W36 x 23 cm

#### Closed Cell Immobilizer Flat Bottom Trough Bundle

These vererinary flat bottom troughs are made from high-density cross-link or "closed-cell", are lightweight, durable, highly radiolucent, and easy to clean. The coverfree design ensures optimal hygiene and artifact-free imaging.

- Unique flat bottom channel for specialty procedures
- High-density cross-link foam
- Lightweight, durable, and cleanable
- Liquid repellent surface, even if damaged
- Highly radiolucent and Artifact Free!
- Available in sizes small to x-large

#### Sizes

- Standard L38 x W36 x H17 cm
- Extended L91 x W36 x H17 cm

### Closed Cell Large 45° Spinal Body Wedge Sponge

- 100% Radiolucent
- Artifact free imaging
- Cleanable, fluid resistant surface
- Lightweight and comfortable

#### Size

L53.3 x W18 x H18 cm





#### **Closed Cell Veterinary Sponge Bundle**

This veterinary closed cell sponges offer premium imaging quality. These positioners are made from a lightweight, radiolucent, and non-porous foam. These charcoal grey positioning devices are entirely fluid resistant, easy to clean, and extremely durable. With no coating or cover, our closed cell sponges are highly radiolucent and offer completely artifact free imaging.

- High-density cross-link foam
- Lightweight, durable, and cleanable
- Liquid repellent surface, even if damaged
- Highly radiolucent and Artifact Free!
- Includes 6 different sponges













L38 x W36 x H17 cm L53 x W18 x H18 cm L25 x W28 x H5 cm 2 wedges included

L15 x W10 x H2,5 cm L15 x W10 x H5 cm





#### **Closed Cell Veterinary Surgery Sponge** Bundle

Closed Cell Sponges are made from a lightweight, radiolucent, non-porous foam. The perfect solution for any positioning need! These positioning sponges are entirely fluid resistant, easy to clean and extremely durable! Featured in a non-coated, premium charcoal grey color.

- 100% Radiolucent
- Artifact free imaging
- Cleanable, fluid resistant surface
- Lightweight and comfortable
- Includes 6 different sponges















L38 x W36 x H17 cm L53 x W18 x H18 cm L38 x W36 x H17 cm L25 x W28 x H5 cm L15 x W10 x H2,5 cm L15 x W10 x H5 cm

#### Heavy-Gauge Veterinary Vinyl Immobilizer Trough

These Troughs have a lightweight and highly durable, radiolucent design. The heavy-duty V-shape is perfect for immobilizing patients during imaging procedures.

- Heavy-gauge, reinforced black vinyl
- Straps to secure animal limbs
- Core foam and fabrics are radiolucent
- Seams will potentially show during imaging
- Available in sizes small to x-large

#### Sizes

- S L25,4 x W10,2 x H7,6 cm
- M L38,1 x W28 x H13 cm
- L L61 x W28 x H18 cm
- XL L91,4 x W36 x H23 cm



#### **Flexible Vinyl Sandsocks**

Flexible Vinyl Sandsocks are designed for nearly every positioning need, such as veterinary use, surgical aftercare, and general patient positioning.

- Reinforced double seams for extended durability
- Extremely flexible, tan coloured vinyl covering
- Designed to meet nearly any positioning need

#### Flexible Vinyl Sandsock 03

- Weight: 1,4 kg
- Size: 10 x 31 cm

#### Flexible Vinyl Sandsock 05

- Weight: 2,3 kg
- Size: 15 x 38 cm

#### Flexible Vinyl Sandsock 12

- Weight: 5,4 kg
- Size: 15 x 64 cm

#### Flexible Vinyl Sandsock 15

- Weight: 6,8 kg
- Size: 15 x 102 cm

#### Flexible Vinyl Sandsock Bundle

- 2 x Sandsock 03
- 2 x Sandsock 05
- 4 x Sandsock 12
- 2 x Sandsock 15





## 4 | Flat panel solutions

In this section, you will find our flat panel product package for protection. Your valuable panel is used on all kinds of examinations for making the necessary X-rays of your patients. Proper protection is therefore essential for the durability of your panel. We wouldn't be Podoblock if we didn't add some additional convenient options to the protection products. We believe we have the most suitable solution for today's veterinarian. In total, we cover more than 50 brands of flat panels on the market. posoblock





#### **DR-Small Animalbox**

The DR-Small Animalbox is a radiolucent protectionbox. The special non-slip bottom ensures a secure position on the X-ray table. The surface is large enough to position small animals on top. There is room available inside the box for wires.

- Available for all current DR Flat Panels
- Perfect fitting box and secured with locking door
- The Polycarbonate box comes with two handles for easy positioning.

#### **DR-Pouch**

A radiolucent pouch that protects your fragile and expensive X-ray panel from outside influences during handling!

Our DR-Pouch is available from stock in all ISO measurements and other sizes & models are on request available.

It comes with:

- Synthetic leather on the outside with marked detection area
- One long side and one short side are made of transparent material to get access to switches and view LED's
- Thermo-plastic strap handle covered with rubber grip for comfort carrying
- Fast and convenient zipper closure on one long side for ease access

Transparent Sides





- Light-weight protectionbox Handheld
- Depending on your DR-system, the box comes with a mounted grip handle or with our Greppstr 2.1



Greppstr 2.1



#### **CR-Protection Cover**

The CR-Protection Cover is a standard, flat cover for your Analog and CR Cassettes. Ideal for your small animal veterinary practice. It comes with a Velcro fastener to secure the Cassette and is made of solid Polycarbonate.

- Available for all current CR Flat Panels
- Perfect fitting box and secured with locking door
- The Polycarbonate box comes with the Greppstr 2.1 universal handgrip (for wireless Flat panels) for easy carrying





arbon



#### **Antiscatter Grid**

Our anti-scatter Grid's are always produced on customer request and therefore will create the most effective device for reduction of scattered radiation. Made of very thin lead strips with the spaces between the strips that are filled with low-attenuating material.

- Grid covers can be from Aluminium (standard) or Carbon fibre (optional) material
- Grid specifications (Focused or Parallel, Focus Distance, Lines per cm, Ratio, Portrait or Landscape model and exact sizing) can be set by ordering
- Below you will find listed the most common sized Focused and Parallel Grid with Aluminium and Carbon fibre covers with their corresponding pricing
- Other specific Grid specifications don't interfere in the pricing
- Grids are always produced on request (lead times 4-6 weeks), therefore no return possible
- Easy to insert in our protectionboxes and protectionframe

# Re-imagine the way you work





Re-imagine the way you work. With innovative products, we make safe and efficient work naturally.

That is why we started as pioneers in mobile imaging solutions in 2008. We constantly search for and find solutions to make our products smarter, safer, compact and lighter. We implement these innovations in our specialized product range.

Podoblock Catalogue 2024 | 19



# 5 | Markers

Despite the digital revolution, the use of markers is still commonplace. Isn't it convenient to be able to carry on doing this in the 21st century - as if it were the analogue era? Sometimes there's just nothing wrong with being 'Old School'...



#### X-Ray Clip

Stainless steel clip for analogue and CR-cassettes.

- 55 x 21 mm
  Gap: 18 mm
- Oap. 10 min
- Avaliable markers:



### LF / RF LV / RV

▶ LH/RH

L/R

LAT / MED

#### X-Ray Clip DR

Multiclip that clenches around the edges of our boxes / pouches.

- 95 x 25 mm
- Gap: 27 mm

Avaliable markers:

#### L/R

- LF/RF
- LV / RV
- LH/RH
- LAT / MED
- LAI / MED

#### Multimarker

Stainless steel all-in-one marker with suction cup. Ø 50 mm



#### Avaliable markers:

- LF / RF / LH / RH
- LV / RV /LH / RH
- LAT / MED / DV / VD



#### Multiclip DR

Multiclip that clenches around the edges of our boxes or pouches.

- Ø 50 mm
   Gap 27 mm
- Avaliable markers:
- ▶ LF / RF / LH / RH
- LV / RV /LH / RH
- LAT / MED / DV / VD





#### Sarah Marker

Marker with integrated label to always be sure about the horizontal plane.

Avaliable markers:

- L / R with suction cup
- L / R with stainless steel clip



#### Buckymarker

Marker with suction cup or clip for your cassette holder to provide information about the horizontal plane.

- 360° rotation
- Size: L 48 x W 44 x H 4 mm

#### Avaliable markers:

- with suction cup
- with stainless steel clip



#### Left & Right X-Ray Lead Markers

- Deluxe, lightweight plastic casing
- Increased durability and an exceptional finish
- Vertical orientation
- Right & left characters are 1.59 cm each
- Sold as a set of markers (left & right)
- Colour: Red & Blue

#### Avaliable markers:

L & R Lead Markers





## 6 | Protection & Safety

Radiation protection is pivotal to all X-ray exams. It's the alpha and the omega. Fortunately, we offer a complete range of products to protect our users against radiation optimally. With personalized sizes and colours, we have tried to make our product line suitable for all our customers. We have solutions for all environments, on any location.







Back

C


#### X-Ray Apron

Indispensable protective apron against the dangers of radiation. The X-Ray apron is made of a lightweight nylon.

- Material: Lead Vinyl
- Pb 0.50 mm Front
- Pb 0.25 mm Back
- Snap fasteners

Size	Chest/Waist	Length	Weight (kg)
Small	94 - 103 cm	110 cm	3,45
Medium	104 - 113 cm	110 cm	4,55
Large	124 – 133 cm	120 cm	5,85

#### **Colour Options**



Navy Blue Classic Black Bold Forest Green Natural Mountain Grey Stable Purple Inspiring



Strap Fastener



Customise with your own name or logo





### Prices | and info

Each product has it own QR code. Scan the code with your mobile's phone camera and always get up-to-date prices and information.



#### X-Ray Apron 'De Luxe'


Apron with integrated Thyroid shield protection.

- Material: Lead Vinyl
- Pb 0.50 mm Front
- Pb 0.25 mm Back
- Integrated Thyroid Shield
- Snap fasteners

Size	Chest/Waist	Length	Weight (kg)
Small	94 - 103 cm	110 cm	3,9
Medium	104 – 113 cm	110 cm	4,8
Large	124 – 133 cm	120 cm	6,35

#### **Colour Options**









c

Side





Customise with your

own name or logo

- Popo









Back

Side


#### X-Ray Apron 'Double Sided'

This model apron is very comfortable and fits like a coat. Equipped with shoulder pads and a breast-pocket. The waist belt reduces stress on your back and shoulders to a minimum.

- Material: Lead Vinyl
- Pb 0.50 mm Front and and 0.25mm Pb Back
- Snap fasteners

Size	Chest/Waist	Length	Weight (kg)
Small	94 - 103 cm	110 cm	5,3
Medium	104 - 113 cm	110 cm	4,8
Large	124 – 133 cm	120 cm	8,0

#### **Colour Options**



Navy Blue Classic Black Bold Forest Green Natural Mountain Grey Stable Purple Inspiring



Belt Front



Belt Back





Customise with your own name or logo



#### X-Ray Apron 'The Basic Buckle'

- Provides excellent weight distribution & comfort
- Equipped with a Buckle and a Velcro shoulder strap to keep the apron snugly fitted during work
- Comfortable fit during long procedures
- Shoulder pads provide additional comfort
- Thyroid protection shield integrated with magnet closing ensures maximum protection
- The Pb-free version is made of new material, consisting of a combination of 12 metals and is lead-free. It is more flexible, much lighter and has the same protection value

Made in the USA, this apron guarantees quality and maximum protection!

Colour: Navy Blue with silver lining Material: Lightweight ULTRAFLEX<sup>™</sup> fabric Sizes: Small, Medium, Large, Extra Large Weight: Min: 2,7 kg, Max: 3,45 kg

Size	Chest/Waist	Length	Weight (kg)
Small	88 – 97 cm	90 cm	2,7
Medium	98 – 107 cm	95 cm	2,9
Large	108 – 117 cm	100 cm	3,25
Extra Large	118 – 127 cm	105 cm	3,45





Customise with your own name or logo











Back

Thyroid Shield



Back





own name or logo

26 | Podoblock Catalogue 2024

#### X-Ray Apron 'The Barrier Flex'

- Provides excellent weight distribution & comfort Two full adjustable Velcro straps cross in the back & attach in the front providing a comfortable fit while keeping the apron securely on the shoulders
- Adjustable elastic inserts in the rear flaps offer
- greater comfort, adjustment & support Comfortable fit during long procedures
- Shoulder pads provide additional comfort
- Thyroid protection shield integrated with magnet closing ensures maximum protection
- The Pb-free version is made of new material, consisting of a combination of 12 metals and is lead-free. It is more flexible, much lighter and has the same protection value

Made in the USA, this apron guarantees quality and maximum protection!

Colour:	Navy Blue with silver lining
Material:	Lightweight ULTRAFLEX™ fabric
Sizes:	Small, Medium, Large, Extra Large
Weight:	Min: 2,7 kg, Max: 3,45 kg

Size	Chest/Waist	Length	Weight (kg)
Small	88 – 97 cm	90 cm	2,7
Medium	98 – 107 cm	95 cm	2,9
Large	108 – 117 cm	100 cm	3,25
Extra Large	118 – 127 cm	105 cm	3,45







### **Prices** | and info

#### X-ray Face Shield

This Lead Acrylic Full Face Shield protects your entire face. Great for people who wear glasses or want to protect more than just their eyes. The shield has a lead content of 0.12 Pb equivalency.

- Universal ratcheting head strap
- Scratch-free coating
- 0.12 Pb
- 360 gr



#### **Thyroid Shield**

- Material: Lead vinyl
- Velcro or Magnetic fastener
- Pb 0.5 mm
- One size fits all



#### **Colour Options**



Navy Blue Classic Black Bold Forest Green Natural Mountain Grey Stable Purple Inspiring







Side





Medium



Large





'Speedy'- Black & Orange





'Fit Over'- Black



#### X-Ray Gloves

- Flexible vinyl glove
- Small Pb 0.35 mm, Medium & Large Pb 0.5 mm Washable Inner liners for more comfort





Mittens



Inner Liners

## X-Ray Protective Goggles Lead glasses Pb Front 0.75 mm

- Pb Side 0.5 mm
- Adjustable straps
- Protective case









This fully collapsible Lead Shield with adjustable radiation barrier protects against secondairy or scatter radiation. Easy to transport and use in any location.

- Shield size W 61 x H 90 cm
- Pb value 0.5 mm
- Light-weighted aluminium material
- Collapsible & Height Adjustable (no tools required)
- The maximum height of the bracket for the lead shield is 175 cm
- sniela is 175 cm
- Vertical travel of the telescopic tube is 85 cm
  Easily transported with a weight of 8,4 Kg
- Easily transported with a weight of 8,4 Kg
- Folded dimensions 94 x 23 x 23 cm
- It comes with 5 swivel wheels (2 with a locking brake)









#### **Mobile Lead Shield**

A sturdy protective shield made of anodized aluminium, lined with an impact-resistant plastic layer on both sides.

Comes with four Ø80 mm castor wheels, two of which with brakes.



24 x 30 cm lead glass window.

- Height: 190 cm
- Width: 80 cm
- Pb 2.0 mm









#### Storage Rack Complete

The Storage Rack is suited for:

- 6 garments
- 3 pair of gloves
- 3 sets of goggles
- Comes in parts easy set-up
- Size: L 70 x W 50 x H 200 cm
- 4 castor wheels, 2 of which with brake pedal
- 6 hangers are included



#### Apron Rack Hanger

- 1 garment
- Wood or Stainless Steel

#### Apron Rack Wall

- 5 garments
- Wall mount
- Left & right side folding

#### **Glove Rack**

- 3 pairs gloves
- Wall mount











Lowest working hight 23 + 38 - 51 cm Gas spring only 23 + 38 - 51 cm





# 7 | Examination room

A flexible and ergonomic workplace is essential for any veterinarian. A good workspace not only makes your work more efficient, it also makes work easier and safer. This is what we do at podoblock. We offer efficient tools to improve your examination room. In this section, you will discover our lightweight, compact and ergonomic solutions for every veterinarian.

#### **SCANdroid**

The ideal, height-adjustable scan stool for the mobile veterinarian to transport to the job site or for clinic use. The SCANdroid has excellent stability with a total of 5 castor wheels, 2 of which with a locking device.

Transport: Ø40 cm x 23 cm height / 9.3 kg weight
 Maximum weight bearing gas spring is 110 kg

#### **Extension pipes**

The gas spring allows for a stageless height-adjustment and can be upgraded with an optional Extension pipe.



Storage gas spring & extensions



Extension Short & Long



+ Extension Short 23 + 38 - 64 cm



+ Extension Long 23 + 38 - 75 cm

#### Cover Plate

Upgrade your SCANdroid bottom tray with a Coverplate to protect the bottom of the SCANdroid from dust and dirt. The Coverplate can be customised with your own logo.



#### X-ray TableTop

Universal X-ray TableTop, available in any size. The table top has several functions to make taking X-rays easier and safer. Various options to fix your patients. And tools to attach a flat panel or Lead shield to reduce radiation exposure.

- Polycarbonate table top
- Aluminium rails on the sides
- Fixation tools
- Bucky mount
- Lead shield








Fixation tool









#### Veterinary Ultrasound Table

Provides a comfortable and efficient veterinary specialist's work during echocardiographic and ultrasound examinations.

- Tabletop's material is water-permeable and wearresistant
- Material is resistant to disinfectants
- Cutouts in the countertop facilitate procedures with devices that have wires (ultrasound scanners, cardiographs)
- Convenient pedal that allows you to adjust the table's height effortlessly



#### Surgical Table

In height adjustable surgical table. 100% radiolucent. Convenient fixing options on the side of the table to immobilise patients

- Polycarbonate table
- 100% Radiolucent
- Height adjustable
- 4 castor wheels



#### Wireless Heat Pad

This wireless heatpad maintains body temperature of small animals during or after examinations and surgical procedures. The pad has 3 heat settings. At 30 degrees, the pad stays warm for 24 hours with a full battery. The pad is supplied without battery, which can be ordered separately.

- 3 heat settings 30, 40, 50 degrees
- Easy to clean
- Size L 40 x W 30 cm





#### NewCart

Durable, in height adjustable cart for all small and big machines or equipment, accommodated with gas spring for variable, stageless height-adjustment and storage space in bottom reservoirs. Easy transport position with the pull-out handle, easy

- Transport size: W 42 x D 62 x H 30 cm
- Weight: 19 kg
- Plateau size (inside rim): W 57 x D 37 cm
- Height-adjustment from 30 to 106 cm
- Maximum load: 15 kg

storage in vertical position.

• 4 swivel, lockable Ø 100 mm castor wheels





Optional: ProbeRack









Lowest position height 30 cm





Stageless height adjustment: 30 - 106 cm

#### Optional: ProbeRack





25 cm - for imaging the foot and pastern





42 cm - for imaging the forelimbs and hind limb



### **Prices** | and info

**36** | Podoblock Catalogue 2024

#### **SCANster**

This veterinary trolley is the optimal ultrasound solution for creating the ideal working height at all times. Especially designed for the portable ultrasound. Optional ProbeRack can be ordered to store a total of 2 ultrasound probes and a gel bottle.

- Material: Light-weight durable aluminium
- Transport size: W 58 x D 41 x H 26 cm
- Weight: 13,1 kg
- Plateau size: W 52 x D 37 cm
- Maximum load: 15 kg
- 4 locking Ø 80 mm castor wheels



77 cm - for imaging the stifle, shoulder and elbow



112 cm - for imaging the hip, sacrum, back, neck and endo-rectal images



Position 1: 25 cm

Position 2: 56 cm



The DRagster

The DRagster veterinary cart comes upgraded with larger wheels for enhanced stability and a pull-out handle for transport, thus increasing portability. The cart is built with durable aluminium material, height-adjustable and suitable for heavy machines and equipment.

Three positions height adjustment, 25, 56 and 86 cm.

- It can be stored in a vertical position to save spaceEasy transport position with the pull-out handle
- It works great as a mobile cart for small and
- oversized equipment And also for your DR-flat panel suitcase

**Optional** with professional ProbeRack to store in total

- 2 ultrasound probes and gel bottle.
- Transport: W64 x D52 x H27 cm
- . Total weight: 14,5 kg
- Tray Dimensions : 58 x 46 cm
- Max. load: 35 kg
- 2 big ø 20 cm wheels
- 2 locking ø 12.5 cm castors







Position 3: 86 cm



Compact Storage Position



Smooth & Efficient Transport

Compare carts: QR code Scan me: podoblock.com/dragster-vs-scanster-vs-newcart  $\rightarrow$ 







#### Podoblock:

- Makes work easier
- Excellent service
- Safe and ergonomic working
- Global delivery
- Excellent quality products
- Customization
- Products easy to transport



Re-imagine the way you work

Verlengde Nijverheidsweg 10, 9482 WT Tynaarlo info@podoblock.com | +31 50 82 00 257 podoblock.com