



Generator Solutions

SMART STANDS FOR MOBILE X-RAYS



Re-imagine the way you work

Generator stands

Positioning

Accurate positioning is essential for sharp and consistent X-ray images. Podoblock generator stands allow the generator to be positioned precisely at any required height or angle while remaining fully stable. By supporting the weight of the generator, our solutions reduce physical strain on shoulders and back, enabling a comfortable and controlled working posture.

Safety

Radiation safety is a key priority in daily imaging. Our generator stands enable hands-free positioning, allowing practitioners to step away from the radiation beam during exposure. Creating distance from the beam helps reduce radiation exposure without compromising positioning accuracy or control.

Efficiency

Stable positioning leads to faster and more reliable imaging. By keeping the generator steady, helping practitioners achieve correct images more quickly, reducing retakes and saving time. Designed for mobile use, our stands are compact and easy to fold, creating a transport-ready setup within minutes for effortless use in the field or clinic.

Smart and practical

The Generator Solutions range consists of smart, practical stands and accessories designed to support equine veterinarians in daily X-ray imaging. With solutions such as the Stat-X, jiXtr and X-ray switches, Podoblock offers versatile, all-purpose tools compatible with a wide range of mobile generators.

Designed for everyday practice, these solutions combine ease of use with consistent positioning and integrated safety. **Re-imagine the way you work**



Stat-X Espléndido

Weight portable X-ray source: 6,0 - 14,0 kg

- Swing arm length: 750 mm
- Vertical travel arm: 700 mm
- Vertical travel stand: 410 mm
- Max height bracket: 195 cm
- Transport size: L 122 x W 30 x H 32 cm
- Weight: 22 kg
- Color: PMS260C Satin

Weight portable X-ray source: 14,1 - 23,0 kg

- Swing arm length: 580 mm
- Vertical travel arm: 500 mm
- Vertical travel stand: 700 mm
- Max height bracket: 220 cm
- Transport size: L 138 x W 30 x H 32 cm
- Weight: 25 kg
- Color: PMS260C Satin



SCAN FOR PRICES



Stat-X Vaquero

Weight portable X-ray source: 6,0 - 16,0 kg

- Swing arm length: 750 mm
- Vertical travel arm: 700 mm
- Vertical travel stand: 700 mm
- Max height bracket: 206 cm
- Transport size: L 140 x W 30 x H 32 cm
- Color: PMS260C Satin

Optional with short legs (50 cm instead of 90 cm) and extra counterweight (6.5 kg).

Weight portable X-ray source: 16,1 - 25,0 kg

- Swing arm length: 580 mm
- Vertical travel arm: 500 mm
- Vertical travel stand: 700 mm
- Max height bracket: 201 cm
- Transport size: L 132 x W 30 x H 32 cm
- Weight: 22 kg
- Color: PMS260C Satin



SCAN FOR PRICES



Bucky



Vaquero



Espléndido

Swingarm Options

Loose Swingarm to upgrade or expand your Stat-X stand to the next level.

- The Bucky Swingarm has a weight-bearing capacity from 4,0 up to 15,0 kg.
- The Vaquero Swingarm has a capacity from 6,0 up to 25,0 kg
- The Espléndido Swingarm has a capacity from 6,0 up to 23,0 kg

For added usability and compatibility, there is a slide & lock adapter at the top of the Bucky Swingarm for connecting to the integrated 3D adjustable joint to our (optional) DR-Quadro, DR-Buckybox or DR-Cowboybox. See page 27 & 29.



SCAN FOR PRICES



Bucky



Vaquero



Espléndido

Watch the video →



Swingarm options



jiXtr

With the jiXtr your X-ray source becomes an easy-to-handle, versatile and highly portable instrument that will cover every angle, spot or height you desire, while working quickly and safely and sparing your back in the process.

The jiXtr can be adjusted without pre-defined increments and has a variable height-adjustment. It is compatible with all X-ray devices on the market, with a maximum of 15 kg.

The rotation of the source in combination with the unlimited tilt of the jiXtr secures an accurate position for Skyline views.

- Material: Light-weight aluminium
- Transport size: L 12 x W 15 x H 75 cm
- Low position: L 27 x W 29 x H 69 cm
- High position: L 27 x W 29 x H 201 cm
- Stroke range: 165 cm
- Weight: 5,0 kg
- 'Fix-and-release' system



SCAN FOR PRICES



Sourcerer

The Sourcerer is built from separate components and allows you to build any configuration possible. It can be fixed to either wall or ceiling at any height and the tubes can be mutually connected to create a number of possibilities for turning and/or adjustment. The Sourcerer can be ordered in any desired length.

The rollers for horizontal adjustment are provided with a standard RVS fixture for your source and a spring balancer for stageless vertical adjustment. The Sourcerer can be tuned to perfect horizontal adjustment in order to provide smooth use of the entire system.

- Material: Aluminium
- Maximum length: 200 cm
- Load capacity: 80 kg
- Fixtures: Stainless steel
- Maintenance-free



SCAN FOR PRICES

Generator remote control



TruXRAY™ Switch

Easy prep-and-expose switch for any portable X-ray source available on the market.

- Plug-and-play device
- Comes with adapter for your source
- Color: black

Note:

Please measure the width of your generator grip and quote your generator brand when ordering



SCAN FOR PRICES

Why Podoblock?

- Makes work easier
- Excellent service
- Safe and ergonomic working
- Global delivery
- Excellent quality products
- Customization
- Products easy to transport



Re-imagine the way you work

Australiëweg 10A | 9407 TE Assen | The Netherlands
info@podoblock.com | +31 50 82 00 257

podoblock.com